

JAPANESE INDUSTRIAL STANDARD

JIS B 1215: 1976

Semi-Tubular Rivets

December, 1998

ERRATA

Page 7

The numerical value of tolerance for A is,

Error +0.07

Correct ± 0.07

Remarks: This erratum is for correcting the first edition of this Standard.

Japanese Standards Association

JAPANESE INDUSTRIAL STANDARD

JIS B 1215-1976

Semi-tubular rivets

1995. 6.

ERRATA

Page	Position	Wrong	Correct
5	Attached Table 1, in column of Nominal diameter 3 and 4, and in line of Tolerance in A	± 0.01	± 0.1
10	Attached Table 6. "~~~~~" denotes the portion corrected.		

Nominal diameter	1.2	1.6	2	2.5	3	4	5	6	8
d_1 (Reference)	1.3	1.7	2.1	2.6	3.2	4.2	5.3	6.3	8.4
h (Reference)	0.7	1	1.2	1.5	1.8	2.4	3	3.6	5
	2 ↓ 10	2.5 ↓ 14	3 3.5 ↓ 14	3 3.5 4 4.5 5 ↓ 20	3.5 4 4.5 5 5.5 6 ↓ 22	4.5 5 5.5 6 6.5 7 7.5 8 ↓ 28	6 6.5 7 7.5 8 9 10 ↓ 36	8 9 10 11 12 ↓ 42	10 11 12 13 14 15 16 ↓ 56

Remarks: This errata is for correcting the first edition of this Standard.

Japanese Standards Association



Documents

Document Sharing Hub

JIS

JAPANESE INDUSTRIAL STANDARD

Semi-Tubular Rivets

㊦ JIS B 1215 —1976

Translated and Published

by

Japanese Standards Association



Documents
Document Sharing Hub

Translation without guarantee
In the event of any doubt arising, the original
standard in Japanese is to be evidence



Documents

Document Sharing Hub



JAPANESE INDUSTRIAL STANDARD

J I S

Semi-Tubular Rivets

B 1215-1976

1. Scope

This Japanese Industrial Standard specifies semi-tubular rivets made of steel, hereinafter referred to as the "steel rivets", semi-tubular rivets made of brass, hereinafter referred to as the "brass rivets", semi-tubular rivets made of copper, hereinafter referred to as the "copper rivets", and semi-tubular rivets made of aluminium, hereinafter referred to as the "aluminium rivets" for general application.

Remark: In this standard, general term of steel rivets, brass rivets, copper rivets and aluminium rivets shall be named simply as the rivets.

Applicable Standards:

JIS D 4312-Rivets of Brake Lining and Clutch Facings for Automobiles

JIS G 3505-Low Carbon Steel Wire Rods

JIS H 3504-Tough-Pitch Copper Wires

JIS H 3505-Phosphorus-Deoxidized Copper Wires

JIS H 3521-Brass Wires

JIS H 4120-Aluminium and Aluminium Alloy Rivet Wires and Rods



Documents

Document Sharing Hub