



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS C 3663-3 : 2003

(IEC 60245-3 : 1994 / Amd. 1 : 1997)
(JCMA)

**Rubber insulated cables—
Rated voltages up to and including
450/750 V—Part 3 : Heat resistant
silicone insulated cables**

ICS 29.060.20

Reference number : JIS C 3663-3 : 2003 (E)

PROTECTED BY COPYRIGHT

 **Documents**
Document Sharing Hub

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee, as the result of proposal for revision of Japanese Industrial Standard submitted by The Japanese Electric Wire & Cable Maker's Association (JCMA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently **JIS C 3663-3 : 1998** is replaced with this Standard. This revision has been made based on **IEC 60245-3 : 1994** *Rubber insulated cables—Rated voltages up to and including 450/750 V—Part 3 : Heat resistant silicone insulated cables* for the purposes of making it easier to compare this Standard with International Standard; to prepare Japanese Industrial Standard conforming with International Standard; and to propose a draft of an International Standard which is based on Japanese Industrial Standard.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

JIS C 3663 consists of the following 8 parts under the general title *Rubber insulated cables—Rated voltages up to and including 450/750 V*.

Part 1 : General requirements

Part 2 : Test methods

Part 3 : Heat resistant silicone insulated cables

Part 4 : Cords and flexible cables

Part 5 : Life cables

Part 6 : Arc welding electrode cables

Part 7 : Heat resistant ethylene-vinyl acetate rubber insulated cables

Part 8 : Cords for applications requiring high flexibility

Date of Establishment: 1998-03-20

Date of Revision: 2003-10-20

Date of Public Notice in Official Gazette: 2003-10-20

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Electricity Technology

JIS C 3663-3:2003, First English edition published in 2004-09

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2004

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

PROTECTED BY COPYRIGHT

 **Documents**
Document Sharing Hub

Contents

	Page
Introduction	1
1 General	1
1.1 Scope	1
1.2 Normative references	1
2 Heat resistant silicone insulated cable for a conductor temperature of maximum 180 °C	2
2.1 Code designation	2
2.2 Rated voltage	2
2.3 Construction	2
2.4 Tests	3
2.5 Guide to use	3