



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS E 3017 : 2007

**Parts for railway signaling —
Waterproof test methods**

ICS 45.080

Reference number : JIS E 3017 : 2007 (E)

PROTECTED BY COPYRIGHT

 **Documents**
Document Sharing Hub

7 S

Date of Establishment: 1978-11-01
Date of Revision: 2007-06-19
Date of Public Notice in Official Gazette: 2007-06-19
Investigated by: Japanese Industrial Standards Committee
Standards Board
Technical Committee on Railways and Rolling Stock

JIS E 3017 : 2007, First English edition published in 2008-03

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

PROTECTED BY COPYRIGHT

Contents

	Page
Introduction	1
1 Scope	1
2 Normative reference	1
3 Types and symbols of tests	1
4 Test conditions	2
4.1 Mounting of part	2
4.2 Treatment of ventilator	2
4.3 Conditions of testing site	2
4.4 Temperature of water	2
4.5 Confirmation of precipitation	3
4.6 Water for test	3
5 Test methods	4
5.1 Moisture test Class 1	4
5.2 Moisture test Class 2	4
5.3 Rain test	4
5.4 Spray test	6
5.5 Dipping test	6

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Land, Infrastructure and Transport through deliberations at the Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law.

Consequently, **JIS E 3017:1992** is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.