



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS K 0311 : 2008

**Method for determination of tetra-through
octachlorodibenzo-p-dioxins,
tetra-through octachlorodibenzofurans
and dioxin-like polychlorinated biphenyls
in stationary source emissions
(Amendment 1)**

JIS K 0311 : 2005 has been revised under date of January 20, 2008. The revised items are included in this Amendment 1 and use this in combination with JIS K 0311 : 2005.

ICS 13.040.40;71.040.40

Reference number : JIS K 0311 : 2008 (E)

PROTECTED BY COPYRIGHT

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law.

Consequently, JIS K 0311:2005 is partially replaced with this Amendment.

Date of Establishment: 1999-09-20

Date of Revision: 2008-01-20

Date of Public Notice in Official Gazette: 2008-01-21

Investigated by: Japanese Industrial Standards Committee
Standards Board

Technical Committee on Environment and Recycling Policy

JIS K 0311: 2008, First English edition published in 2008-03

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KA/SW

PROTECTED BY COPYRIGHT

 **Documents**
Document Sharing Hub

Method for determination of tetra-through octachlorodibenzo-p-dioxins, tetra-through octachlorodibenzofurans and dioxin-like polychlorinatedbiphenyls in stationary source emissions (Amendment 1)

JIS K 0311 : 2005 is revised as follows.

This revision applies from April 1st, 2008.

8.3 Change to toxicity equivalency (TEQ)

In table 9, replace

"

Compounds		TEF (1998)*
PCDDs	2,3,7,8-TeCDD	1
	1,2,3,7,8-PeCDD	1
	1,2,3,4,7,8-HxCDD	0.1
	1,2,3,6,7,8-HxCDD	0.1
	1,2,3,7,8,9-HxCDD	0.1
	1,2,3,4,6,7,8-HpCDD	0.01
	1,2,3,4,6,7,8,9-OCDD	0.000 1
	Others	0
PCDFs	2,3,7,8-TeCDF	0.1
	1,2,3,7,8-PeCDF	0.05
	2,3,4,7,8-PeCDF	0.5
	1,2,3,4,7,8-HxCDF	0.1
	1,2,3,6,7,8-HxCDF	0.1
	1,2,3,7,8,9-HxCDF	0.1
	2,3,4,6,7,8-HxCDF	0.1
	1,2,3,4,6,7,8-HpCDF	0.01
	1,2,3,4,7,8,9-HpCDF	0.01
	1,2,3,4,6,7,8,9-OCDF	0.000 1
	Others	0
DL-PCB Non-ortho compounds	3,4,4',5'-TeCB (#81)	0.000 1
	3,3',4,4'-TeCB (#77)	0.000 1
	3,3',4,4',5'-PeCB (#126)	0.1
	3,3',4,4',5,5'-HxCB (#169)	0.01
DL-PCB Mono-ortho compounds	2',3,4,4',5'-PeCB (#123)	0.000 1
	2,3',4,4',5'-PeCB (#118)	0.000 1
	2,3,3',4,4'-PeCB (#105)	0.000 1
	2,3,4,4',5'-PeCB (#114)	0.000 5
	2,3',4,4',5,5'-HxCB (#167)	0.000 01
	2,3,3',4,4',5'-HxCB (#156)	0.000 5
	2,3,3',4,4',5'-HxCB (#157)	0.000 5
	2,3,3',4,4',5,5'-HpCB (#189)	0.000 1

NOTE * TEF refers to the proposal of WHO/IPCS in 1998."

by

"

Compounds		TEF (2006)*
PCDDs	2,3,7,8-TeCDD	1
	1,2,3,7,8-PeCDD	1
	1,2,3,4,7,8-HxCDD	0.1
	1,2,3,6,7,8-HxCDD	0.1
	1,2,3,7,8,9-HxCDD	0.1
	1,2,3,4,6,7,8-HpCDD	0.01
	1,2,3,4,6,7,8,9-OCDD	0.000 3
	Others	0
PCDFs	2,3,7,8-TeCDF	0.1
	1,2,3,7,8-PeCDF	0.03
	2,3,4,7,8-PeCDF	0.3
	1,2,3,4,7,8-HxCDF	0.1
	1,2,3,6,7,8-HxCDF	0.1
	1,2,3,7,8,9-HxCDF	0.1
	2,3,4,6,7,8-HxCDF	0.1
	1,2,3,4,6,7,8-HpCDF	0.01
	1,2,3,4,7,8,9-HpCDF	0.01
	1,2,3,4,6,7,8,9-OCDF	0.000 3
	Others	0
DL-PCB Non-ortho compounds	3,4,4',5'-TeCB (#81)	0.000 3
	3,3',4,4'-TeCB (#77)	0.000 1
	3,3',4,4',5'-PeCB (#126)	0.1
	3,3',4,4',5,5'-HxCB (#169)	0.03
DL-PCB Mono-ortho compounds	2',3,4,4',5'-PeCB (#123)	0.000 03
	2,3',4,4',5'-PeCB (#118)	0.000 03
	2,3,3',4,4'-PeCB (#105)	0.000 03
	2,3,4,4',5'-PeCB (#114)	0.000 03
	2,3',4,4',5,5'-HxCB (#167)	0.000 03
	2,3,3',4,4',5'-HxCB (#156)	0.000 03
	2,3,3',4,4',5'-HxCB (#157)	0.000 03
	2,3,3',4,4',5,5'-HpCB (#189)	0.000 03

NOTE * TEF refers to the proposal by WHO/IPCS in 2005 and published in specialized magazine "Toxicological Science, Oxford Journal, Volume 93, Number 2 in 2006'."