



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS K 2397 : 2009

(JACA/JSA)

**Deicing and defrosting fluids for
automobiles**

(Amendment 1)

JIS K 2397 : 1991 has been revised under date of February 20, 2009. The revised items are included in this Amendment 1 and use this in combination with JIS K 2397 : 1991.

ICS 43.040.99

Reference number : JIS K 2397 : 2009 (E)

PROTECTED BY COPYRIGHT

 **Documents**
Document Sharing Hub

4 S

Foreword

This translation has been made based on the Amendment to the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14

Consequently, JIS K 2397:1991 is partially replaced with this Amendment.

Date of Establishment: 1991-08-01

Date of Revision: 2009-02-20

Date of Public Notice in Official Gazette: 2009-02-20

Investigated by: Japanese Industrial Standards Committee
Standards Board

JIS K 2397 : 2009, First English edition published in 2009-05

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

SW

PROTECTED BY COPYRIGHT

Deicing and defrosting fluids for automobiles (Amendment 1)

JIS K 2397 : 1991 is revised as follows.

6.3.1 Apparatuses and tools

In (3), replace "8.1 (1) of JIS K 0050" by "the chemical balance specified in 8.3 of JIS K 0050".

6.3.1 Apparatuses and tools

In (4), replace "#320 of AA or CC specified in JIS R 6253" by "P320 of A or C specified in JIS R 6253".

6.3.1 Apparatuses and tools

In Note (5) to (9), replace "JIS K 6888 or JIS K 6748" by "JIS K 7173-1 or JIS K 6922-1".

6.4.1 Apparatuses and tools

In (1), replace "Micro-hardness tester of International rubber hardness tester specified in Annex of JIS D 2609, or A type tester specified in 5.2 of JIS K 6301" by "Micro size international rubber hardness degree tester specified in clause 5 of JIS K 6253".

6.4.2 Reagents

Replace "(3) Zinc white" by "(3) Zinc oxide".

6.4.2 Reagents

In (5), replace "JIS K 6202" by "JIS K 6220-2".

6.4.2 Reagents

In (6), replace "Vulcanization accelerator TMTP Specified in JIS K 6202" by "Vulcanization accelerator TMTD Specified in JIS K 6220-2".

6.4.2 Reagents

In (8), replace "JIS K 6222" by "JIS K 6220-2".

6.4.2 Reagents

In (12), replace "JIS K 6211" by "JIS K 6220-3".