

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS K 6219-1 : 2006

(JRMA/JSA)

**Carbon black for rubber industry —
Characteristics of pelletized carbon
black — Part 1 : Determination of fines
content**

ICS 83.040.20

Reference number : JIS K 6219-1 : 2006 (E)

PROTECTED BY COPYRIGHT

 **Documents**
Document Sharing Hub
65

Foreword

This translation has been made based on the original Japanese Industrial Standard established by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for establishment of Japanese Industrial Standard submitted by The Japan Rubber Manufacturers Association (JRMA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law.

Consequently JIS K 6219 : 1997 is replaced with JIS K 6219-1, JIS K 6219-2, JIS K 6219-3 and JIS K 6219-4.

This part of JIS K 6219 has been made based on ISO 1435:1996 *Rubber compounding ingredients—Carbon black(pelletized)—Determination of fines content* for the purpose of making it easier to compare this Standard with International Standard; to prepare Japanese Industrial Standard conforming with International Standard; and to propose a draft of an International Standard which is based on Japanese Industrial Standard.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

JIS K 6219 consists of the following 4 parts under the general title “*Carbon black for rubber industry—Characteristics of pelletized carbon black*”:

Part 1: Determination of fines content

Part 2: Determination of pour density

Part 3: Determination of individual pellet crushing strength

Part 4: Determination of pellet size distribution

Date of Establishment: 2006-02-20

Date of Public Notice in Official Gazette: 2006-02-20

Investigated by: Japanese Industrial Standards Committee
Standards Board
Technical Committee on Chemical Products

JIS K 6219-1 : 2006, First English edition published in 2006-07

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

PROTECTED BY COPYRIGHT

 **Documents**
Document Sharing Hub

Contents

	Page
Introduction	1
1 Scope	1
2 Normative references	1
3 Principle	2
4 Instrument and apparatus	2
4.1 Mechanical sieve shaker	2
4.2 Sieve	2
4.3 Bottom receiver pan	2
4.4 Sieve cover	2
4.5 Riffle-type sample splitter	2
4.6 Balance	2
5 Procedure	2
6 Expression of results	3
7 Precision and bias	3
8 Test report	4
Annex (informative) Comparison table between JIS and corresponding International Standard	5