

August, 2005

## ERRATA

---

Page 4

Annex 1, clause 1


Error :  $V(A) = 2.492\ 68A^{1/3} - 1.156\ 4 - [-0.985/\{(0.107\ 3\ A - 3.084)^2 + 7.54\}] \cdot \cdot \cdot$

Correct :  $V(A) = 2.492\ 68A^{1/3} - 1.561\ 4 - [-0.985/\{(0.107\ 3\ A - 3.084)^2 + 7.54\}] \cdot \cdot \cdot$

---

Remarks: This erratum is for correcting the first edition of this Standard.

Japanese Standards Association



JAPANESE  
INDUSTRIAL  
STANDARD

Translated and Published by  
Japanese Standards Association

---

JIS L 0804 : 2004  
(SWTF/JSA)

**Grey scale for assessing change in  
colour**

---

ICS 59.080.01

**Reference number : JIS L 0804 : 2004 (E)**

PROTECTED BY COPYRIGHT



**Documents**

Document Sharing Hub

## Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee, as the result of proposal for revision of Japanese Industrial Standard submitted by Suga Weathering Technology Foundation (SWTF) Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently **JIS L 0804:1994** is replaced with this Standard.

This revision has been made based on **ISO-105-A02:1993, Textiles — Tests for colour fastness — Part A02: Grey scale for assessing change in colour** for the purposes of making it easier to compare this Standard with International Standard; to prepare Japanese Industrial Standard conforming with International Standard; and to propose a draft of an International Standard which is based on Japanese Industrial Standard. Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

Date of Establishment: 1965-01-01

Date of Revision: 2004-04-20

Date of Public Notice in Official Gazette: 2004-04-20

Investigated by: Japanese Industrial Standards Committee  
Standards Board  
Technical Committee on Consumer Life  
Products

---

JIS L 0804 :2004, First English edition published in 2004-10

Translated and published by: Japanese Standards Association  
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

---

In the event of any doubts arising as to the contents,  
the original JIS is to be the final authority.

© JSA 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

PROTECTED BY COPYRIGHT

 **Documents**  
Document Sharing Hub

## Contents

|                                                                                                         | Page |
|---------------------------------------------------------------------------------------------------------|------|
| Introduction .....                                                                                      | 1    |
| 1 Scope .....                                                                                           | 1    |
| 2 Normative references .....                                                                            | 1    |
| 3 Definitions .....                                                                                     | 1    |
| 4 Colour of colour chips .....                                                                          | 2    |
| 5 Structure, shape and dimensions .....                                                                 | 2    |
| 6 Appearance .....                                                                                      | 3    |
| 7 Colorimetry method .....                                                                              | 3    |
| 8 Inspection method .....                                                                               | 3    |
| Annex 1 (normative) Colour difference according to Adams-Nickerson's<br>colour difference formula ..... | 4    |
| Annex 2 (informative) Comparison table between JIS and corresponding<br>International Standard .....    | 5    |