



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS L 1910 : 2002

**Test methods for percentage
of breaking and bursting
strength lowering of textiles
to oxygen-bleaching**

ICS 59.080.01

Reference number : **JIS L 1910 : 2002 (E)**



Documents

Document Sharing Hub

55

PROTECTED BY COPYRIGHT

Licensee=Hong Kong Polytechnic University/9976803100
Not for Resale, 07/29/2014 20:41:46 MDT

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law. Consequently **JIS L 1910 : 1996** is replaced with **JIS L 1910 : 2002**.

Date of Establishment: 1996-01-01

Date of Revision: 2002-03-20

Date of Public Notice in Official Gazette: 2002-03-20

Investigated by: Japanese Industrial Standards Committee
Standards Board
Technical Committee on Consumer Life
Products

JIS L 1910:2002, First English edition published in 2002-09

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

Test methods for percentage of breaking and bursting strength lowering of textiles to oxygen-bleaching

Introduction This Japanese Industrial Standard to which no ISO standard corresponds has been developed in 1996 for the test methods for percentage of breaking and bursting strength lowering of textiles to oxygen-bleaching.

In this revision, as a result of the revision and withdrawal of the standards applied as normative references, the numbers and titles are replaced with those of new referred standards and the form of presentation has been modified as specified in JIS Z 8301.

1 Scope This Standard specifies the test methods for percentage of breaking and bursting strength lowering of oxygen-bleached textiles.

2 Normative references The following standards contain provisions which, through reference in this Standard, constitute provision of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS B 7721 *Verification of the force measuring system of the tensile testing machine*

JIS K 0557 *Water used for industrial water and wastewater analysis*

JIS K 1408 *Sodium silicate*

JIS K 3371 *Synthetic detergents for home laundering*

JIS L 0105 *General principles of physical testing methods for textiles*

JIS L 0208 *Glossary of terms used in textile industry—Testing*

JIS L 0844 *Test methods for colour fastness to washing and laundering*

JIS L 1018 *Test methods for knitted fabrics*

JIS L 1096 *Testing methods for woven fabrics*

JIS P 8112 *Paper and board—Determination of bursting strength by Müllen low-pressure tester*

JIS Z 8401 *Guide to the rounding of numbers*

JIS Z 8802 *Methods for determination of pH of aqueous solutions*

3 Definitions For the purposes of this Standard, the definitions given in JIS L 0105 and JIS L 0208 apply.

4 Condition of laboratory A test shall be carried out in the laboratory under the standard condition specified in JIS L 0105. When the laboratory cannot be kept in the standard condition, the test shall be carried out at a place as near to the standard condition as possible, and temperature and relative humidity in testing shall be appended to the record in clause 10.