



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS S 2151 : 2009

(JGKA/JSA)

Automatic gas valves for gas appliances
(Amendment 1)

JIS S 2151 : 1993 has been revised under date of February 20, 2009. The revised items are included in this Amendment 1 and use this in combination with JIS S 2151 : 1993.

ICS 27.060.20

Reference number : JIS S 2151 : 2009 (E)

PROTECTED BY COPYRIGHT

 **Documents**
Document Sharing Hub

4 S

Foreword

This translation has been made based on the Amendment to the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently, **JIS S 2151:1993** is partially replaced with this Amendment.

Date of Establishment: 1993-11-01

Date of Revision: 2009-02-20

Date of Public Notice in Official Gazette: 2009-02-20

Investigated by: Japanese Industrial Standards Committee
Standards Board

JIS S 2151 : 2009, First English edition published in 2009-05

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

SW

PROTECTED BY COPYRIGHT

Automatic gas valves for gas appliances (Amendment 1)

JIS S 2151 : 1993 is revised as follows.

1. Scope

Delete entire Remarks 2, and further delete all the appended units and numerical values based on the traditional units given in { } in the text.

3.2. Parts performance

In column 'Main test conditions' of row 'Grease/Corrosion resistance' in Table 4, replace "the B method of 5.5 in JIS K 2220" by "method B (100°C) in clause 9 of JIS K 2220".

3.2. Parts performance

In column 'Main test conditions' of row 'Grease/Heat resistance' in Table 4, replace "the A method of 5.6 in JIS K 2220" by "method A (room temperature) in clause 9 of JIS K 2220".

5.1. Material in general

In (1) (b), replace "(1) in 13. of JIS Z 2371" by "a) of clause 16 of JIS Z 2371".

5.1. Material in general

In column 'JIS Number' of row 'Castings' in Table 5, replace "JIS H 5101" by "JIS H 5120 and JIS H 5121".

6.4. Corrosion resistance test

In (1), replace "2. and 8. in JIS Z 2371" by "clauses 3 and 9 of JIS Z 2371", "the salt water conformed to 6." by "salt water conformed to clause 7" and "(1) in 13" by "a) of clause 16", respectively.

6.19.3. Test for grease

In (1), replace "B method in 5.5 of JIS K 2220" by "method B (100°C) in clause 9 of JIS K 2220".

6.19.3. Test for grease

In (2), replace "JIS Z 8801" by "JIS Z 8801-1".

6.19.3. Test for grease

In (4), replace "A method of 5.6 in JIS K 2220" by "method A (room temperature) in