



JAPANESE  
INDUSTRIAL  
STANDARD

Translated and Published by  
Japanese Standards Association

---

# JIS T 9253 : 2004

(JSPA/JSA)

## Performance and test method of ultraviolet ray hardening resinous braille

---

ICS 37.100.01; 87.080

Reference number : JIS T 9253 : 2004 (E)

PROTECTED BY COPYRIGHT

## Foreword

This translation has been made based on the original Japanese Industrial Standard established by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee according to the proposal of establishing a Japanese Industrial Standard from Japanese Screen Printers Association (JSPA)/Japanese Standards Association (JSA), with a draft of Industrial Standard based on the provision of Article 12 Clause 1 of the Industrial Standardization Law. Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

Date of Establishment: 2004-06-20

Date of Public Notice in Official Gazette: 2004-06-21

Investigated by: Japanese Industrial Standards Committee  
Standards Board

Technical Committee on Support for Aged  
and Handicapped Persons

---

JIS T 9253:2004, First English edition published in 2005-02

Translated and published by: Japanese Standards Association  
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

---

In the event of any doubts arising as to the contents,  
the original JIS is to be the final authority.

© JSA 2005

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

PROTECTED BY COPYRIGHT

 **Documents**  
Document Sharing Hub

## Contents

|                                                           | Page |
|-----------------------------------------------------------|------|
| Introduction .....                                        | 1    |
| 1 Scope .....                                             | 1    |
| 2 Normative references .....                              | 1    |
| 3 Definitions .....                                       | 1    |
| 4 Quality of braille .....                                | 2    |
| 4.1 Adhesion strength .....                               | 2    |
| 4.2 Weathering resistance .....                           | 2    |
| 4.3 Diameter, height and sectional shape of braille ..... | 2    |
| 5 Test method .....                                       | 2    |
| 5.1 Test specimen .....                                   | 2    |
| 5.2 Adhesion strength .....                               | 2    |
| 5.3 Weathering resistance .....                           | 3    |
| 5.4 Diameter and height of braille .....                  | 3    |
| 6 Inspection .....                                        | 3    |
| 7 Marking .....                                           | 3    |
| Annex (informative) Shape and dimensions of braille ..... | 4    |