



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS Z 8313-2 : 1998

(ISO 3098-2 : 1984)

**Technical drawings—Lettering—
Part 2 : Greek characters**

ICS 01.100.01

Descriptors : technical drawing, graphic characters, Greek characters

Reference number : JIS Z 8313-2 : 1998 (E)

Z 8313-2 : 1998 (ISO 3098-2 : 1984)

Foreword

This translation has been made based on the original Japanese Industrial Standard established by the Minister of International Trade and Industry through deliberations at Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law. Consequently **JIS Z 8313 : 1984** is abolished and replaced with **JIS Z 8313** group.

By this establishment, this part of **JIS Z 8313** group becomes identical with **ISO 3098-2**, *Technical drawings—Lettering—Part 2 : Greek characters*.

JIS Z 8313 group, inclusive of forward and title, is named *Technical drawings—Lettering*, and consists of the following parts.

Part 0 : *General requirements*

Part 1 : *Currently used characters*

Part 2 : *Greek characters*

Part 3 : *Diacritical and particular marks for the Latin alphabets (scheduled)*

Part 4 : *Cyrillic characters (scheduled)*

Part 5 : *CAD lettering of the Latin alphabet, numerals and marks (scheduled)*

Part 10 : *Japanese characters*

Remarks : Part 10 is the specification for KANA and KANJI and does not exist in the original International Standard.

Date of Establishment: 1998-03-20

Date of Public Notice in Official Gazette: 1998-03-20

Investigated by: Japanese Industrial Standards Committee

Divisional Council on Basic Items

JIS Z 8313-2:1998, First English edition published in 2000-03

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

Technical drawings—Lettering— Part 2 : Greek characters

Introduction This part of Japanese Industrial Standard **Z 8313** has been prepared based on **ISO 3098-2** issued in 1984 without changing the technical contents.

The description underlined with dots in this part is not included in the original International Standard.

1 Scope This part of **JIS Z 8313** specifies proportions and establishes dimensions of Greek characters for use with symbols in technical drawings and associated documents. It primarily concerns letters written with the aid of stencils, but is equally applicable to free-hand lettering or other appropriate methods.

Note The International Standard corresponding to this part is as follows.

ISO 3098-2 : 1984, *Technical drawings—Lettering—Part 2: Greek characters*

2 Normative reference The following standard contains provisions which, through reference in this text, constitute provisions of this part of **JIS Z 8313**. For this normative reference, the most recent edition shall apply.

JIS Z 8313-1 *Technical drawings—Lettering—Part 1 : Currently used characters*

Note The provisions cited from **ISO 3098-1** *Technical drawings—Lettering—Part 1 : Currently used characters* are identical to the relevant provisions in this said standard.

3 General requirements See JIS Z 8313-1.

4 Dimensions See clause 3 of JIS Z 8313-1.

5 Specimens The following specimens are given only as a guide to illustrate the principles established in 2 and 3.

Note To obtain constant line-density, avoid blotting at intersecting lines and facilitate writing, the characters shall be formed so that lines cross, or meet, at approximately right angles.